

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date
7 April 2005 (07.04.2005)

PCT

(10) International Publication Number
WO 2005/031365 A3

(51) International Patent Classification⁷: G01N 33/68,
C07K 14/475, G01N 33/543

GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(21) International Application Number:
PCT/IB2004/003606

(22) International Filing Date:
29 September 2004 (29.09.2004)

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

(25) Filing Language: English

Published:
— *with international search report*

(26) Publication Language: English

(88) Date of publication of the international search report:
7 July 2005

(30) Priority Data:
60/507,192 29 September 2003 (29.09.2003) US

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(71) Applicants and
(72) Inventors: NAYERI, Fariba [SE/SE]; Westmansgatan
100A, S-582 16 Linköping (SE). NAYERI, Tayeb
[SE/SE]; Bjälbogatan 8C, S-582 47 Linköping (SE).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,

WO 2005/031365 A3

(54) Title: RAPID DETERMINATION OF HEPATOCYTE GROWTH FACTOR (HGF) IN THE BODY FLUIDS

(57) Abstract: A method for diagnosing an inflammatory disorder in an individual comprises contacting a body fluid sample from the individual with an immunoassay device to determine relative levels of different forms of hepatocyte growth factor (HGF) in the sample, and correlating the determined levels to an inflammatory disorder. An immunoassay device for diagnosing an inflammatory disorder in an individual comprises at least two test areas having immobilized respectively therein reagent for binding different forms of hepatocyte growth factor (HGF).